

ImportFormatsSpecial ES by Carmen Publishing Inc.

Introduction	1
System Requirements.	1
Installing ImportFormatsSpecial ES	1
Using ImportFormatsSpecial ES	2
Localizing the ImportFormatsSpecial ES Dialog Box	3
Uninstalling ImportFormatsSpecial ES	5
For More Information	5

Introduction

A powerful feature of FrameMaker is the ability to import formats from one document into another document or book. ImportFormatsSpecial ES is an ExtendScript script that gives you more control over which formats are imported. It does this by separating System and User Variables into separate import options. This allows you to import User Variables from your template, while preserving the System Variable definitions, or vice versa.

Document properties are separated out into different categories, giving you more control over which document properties are imported. ImportFormatsSpecial ES saves your previous settings so that you can use it repeatedly without having to select your desired settings every time. The script's interface can be localized by editing a simple configuration file. See the screenshot on the next page.

System Requirements

ImportFormatsSpecial ES is an ExtendScript script that works with FrameMaker 10 and higher.


Installing ImportFormatsSpecial ES

If you are updating ImportFormatsSpecial from a previous version, remove all folders and files beginning with **ImportFormatsSpecial** from the Fminit/Plugins folder inside of your FrameMaker folder.

Back up all of the ImportFormatsSpecial files before installing the script. Navigate to the C: \Users\<UserName>\AppData\Roaming\Adobe\FrameMaker\<VersionNumber>\startup

folder on your hard drive, where <UserName> is your user name, and <VersionNumber> is the number of the FrameMaker version that you are using. If the **startup** folder does not exist, create it. Copy the ImportFormatsSpecial* files to the **startup** folder. You will have three files: ImportFormatsSpecial.jsxbin, ImportFormatsSpecial.cfg, and ImportFormatsSpecial.pdf (this document). Note that if you purchased the source code, you will have ImportFormatsSpecial.jsx instead of .jsxbin.

Restart FrameMaker and ImportFormatsSpecial ES will be ready to use. You will see the **Import Formats Special** command under the **File > Import** menu for both documents and books. See the screenshot on page 3.



Variables Definitions are separated into System and User categories.

Document Properties are separated into categories to give you finer control over which properties are imported.


Settings are “sticky” so that your previous settings are selected, even after you quit and restart FrameMaker.

NOTE: Because of a FrameMaker ExtendScript bug, custom commands always appear at the bottom of the FrameMaker menu.

Using ImportFormatsSpecial ES

ImportFormatsSpecial ES works just like FrameMaker’s built-in Import Formats command. Open your source document (template) and your target document or book. Bring the target document or book to the front and choose **File > Import > Import Formats Special**. Select the appropriate settings and click the **Import** button.

When importing formats into a book, make sure you have one or more book components selected in the book window. Or select the book name in the book window to import formats into all of the components in the book.



Localizing the ImportFormatsSpecial ES Dialog Box

The ImportFormatsSpecial ES dialog box can be localized for other languages by editing the ImportFormatsSpecial.cfg file. This is an XML file that stores the labels for each dialog box control and stores the settings from the last use of the script. When editing the file, follow these important guidelines:

- Back up the original ImportFormatsSpecial.cfg file before editing it.
- Use a plain text editor or XML editor when editing the file.
- Only change the values of label attributes in the file. Modifying other content may damage the file and make the script unusable.
- When editing label attributes, make sure you preserve the quotes around each attribute value.



ImportFormatsSpecial ES dialog box localized for Chinese.

- After editing the file, save the changes before displaying the ImportFormatsSpecial ES dialog box. You can leave the XML file open as you edit the file, as long as you save it before displaying the dialog box.
- The XML file must have the same name as the script, except for the .cfg extension.
- If you damage the XML file so that the script no longer works, restore the original .cfg file that you previously backed up.

Uninstalling ImportFormatsSpecial ES

Navigate to the

C: \Users\<UserName>\AppData\Roaming\Adobe\Framemaker\<VersionNumber>\startup

folder on your hard drive, where <UserName> is your user name, and <VersionNumber> is the number of the FrameMaker version that you are using. Remove the ImportFormatsSpecial* files from the startup folder.

For More Information

To purchase ImportFormatsSpecial ES and other useful ExtendScript and FrameScript scripts, see www.frameexpert.com or email rick@frameexpert.com.